

References Cited

- ABELL, R., D. M. OLSON, E. DINERSTEIN, P. HURLEY, J. T. DIGGS, W. EICHBAUM, S. WALTERS, W. WETTENGEL, T. ALLNUTT, C. LOUCKS, and P. HEDAO. 2000. Freshwater ecoregions of North America: a conservation assessment. Island Press. Washington, DC, USA.
- ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT (ADEM). 2003*a*. Black Warrior River Basin management plan. Prepared for the Alabama Department of Environmental Management and the Alabama Clean Water Partnership by the Cawaco Resources Conservation and Development Council and Basin Stakeholders. October 2003. Birmingham, Alabama.
- _____. 2003*b*. Cahaba River Basin management plan. Prepared for the Alabama Department of Environmental Management and the Alabama Clean Water Partnership by the Cawaco Resources Conservation and Development Council and Basin Stakeholders. 2003. Birmingham, Alabama.
- _____. 2003*c*. Middle Coosa Basin management plan. Prepared for the Alabama Department of Environmental Management and the Alabama Clean Water Partnership by the Etowah and St. Claire County Soil and Water Conservation Districts and Basin Stakeholders. August 2003. Gadsden, Alabama.
- _____. 2003*d*. Tennessee River Basin management plan. Prepared for the Alabama Department of Environmental Management and the Alabama Clean Water Partnership by the Tennessee Valley Resources Conservation and Development Council and Basin Stakeholders. May 2003. Decatur, Alabama.
- _____. 2004*a*. Upper Coosa Basin management plan. Prepared for the Alabama Department of Environmental Management and the Alabama Clean Water Partnership by the Cherokee County Soil and Water Conservation District Basin Stakeholders. December 2004. Centre, Alabama.
- _____. 2004*b*. Coastal River Basin management plan. Prepared for the Alabama Clean Water Partnership and Alabama Department of Environmental Management by the Mobile County Soil and Water Conservation District and Basin Stakeholders. January 2004. Mobile, Alabama.
- _____. 2004*c*. Alabama's 2004 Integrated Water Quality Monitoring and Assessment Report.
- _____. 2005*a*. Draft. Lower Coosa Basin management plan. Prepared for the Alabama Clean Water Partnership and Alabama Department of Environmental Management by Delaney Consulting Services, Inc. and Basin Stakeholders. March 2005. Montgomery, Alabama.

References

- _____. 2005*b*. Tallapoosa Basin management plan. Prepared for the Alabama Clean Water Partnership and Alabama Department of Environmental Management by CH2M Hill, Environmental Insight and Basin Stakeholders. March 2005. Montgomery, Alabama.
- _____. 2005*c*. Draft. Alabama-Tombigbee River Basins management plan. Prepared for the Alabama Clean Water Partnership and Alabama Department of Environmental Management by Kleinschmidt Associates and Basin Stakeholders. February 2005. Montgomery, Alabama.
- _____. 2005*d*. Draft. Conecuh-Sepulga-Blackwater River Basins management plan. Prepared for the Alabama Department of Environmental Management and the Alabama Clean Water Partnership by the Covington County Soil and Water Conservation District and Basin Stakeholders. March 2005. Andalusia, Alabama.
- _____. Choctawhatchee-Pea-Yellow River Basins management plan - Incomplete.
- _____. Chattahoochee-Chipola River Basins management plan - Incomplete.
- ALABAMA NATURAL HERITAGE PROGRAM. 2003. Annual report: fiscal year 2003. Alabama Natural Heritage Program, Montgomery.
- ALABAMA NATURAL HERITAGE PROGRAM. 2004. Alabama inventory list: the rare, threatened and endangered plants, animals, and natural communities of Alabama. Alabama Natural Heritage Program, Montgomery.
- ATLANTIC COAST JOINT VENTURE (ACJV). 2004. Atlantic Coast joint venture strategic plan. North American Waterfowl management plan.
- BAILEY, M. A. 1999. Small isolated wetlands: vital to diversity. Alabama Wildlife Magazine, Fall 1999. Alabama Wildlife Federation, Montgomery.
- _____, J. N. HOLMES, K. A. BUHLMANN, and J. C. MITCHELL. 2005. Habitat management guidelines for amphibians and reptiles of the southeastern United States. Partners in Amphibian and Reptile Conservation Technical Publication HMG-2.
- BAILEY, R. G. 1995. Description of the ecoregions of the United States (2nd edition.): U.S. Department of Agriculture, Forest Service Miscellaneous Publication 1391.
- BARBOUR, M. S. 2004. Middle Coosa River, Upper Coosa River, Eightmile Creek, and Cotaco Creek nonpoint source prioritization project. Volume 1: Middle and Upper Coosa River watersheds. Unpublished report to Alabama Department of Environmental Management, Montgomery. Alabama Natural Heritage ProgramSM, Montgomery, USA.

References

- BARBOUR, R. W., and W. H. DAVIS. 1969. Bats of America. Press of Kentucky.
- BENZ, G. W. and D. E. COLLINS, editors. 1997. Aquatic fauna in peril: the southeastern perspective. Southeast Aquatic Research Special Publication 1. Decatur, Georgia.
- BERRIGAN, M., T. CANDIES, J. CIRINO, R. DUGAS, C. DYER, J. GRAY, T. HERRINGTON, W. KEITHLY, R. LEARD, J. R. NELSON, and M. VAN HOOSE. 1991. The oyster fishery of the Gulf of Mexico, United States: a regional management plan. IJF Publication Number 24. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- BEST, C., and L. A. WAYBURN. 2001. America's private forests, status and stewardship. Island Press. Washington, D.C.
- BLACK, S. H., M. SHEPARD, and M. M. ALLEN. 2001. Endangered invertebrates: the case for greater attention to invertebrate conservation. Endangered Species Update 18: 41-49.
- BOGAN, A. E., M. E. RALEY, J. LEVINE. 2004. Report on the status of *Fusconaia masoni* and *Lexingtonia subplana*. Report submitted to International Paper.
- BOSCHUNG, H. T., JR., and R. L. MAYDEN. 2004. Fishes of Alabama. Smithsonian Books.
- BOUCHARD, R. W. 1976. Crayfishes and shrimps. Pages 13-20 In: Boschung, H.T., Jr. editor. Endangered and threatened plants and animals of Alabama. Bulletin Alabama Museum Natural History 2.
- BOYCE, T. C., DUMONT, D., and BAILEY, M. A. 2002. Alabama forest legacy program assessment of need.
- BROOKS, J. M., editor. 1991. Mississippi-Alabama continental shelf ecosystem study: data summary and synthesis. Volume II: technical narrative. OCS Study MMS 91-0063. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, Louisiana.
- BROWN, S., C. HICKEY, B. HARRINGTON, and R. GILL, editors. 2001. United States shorebird conservation plan, 2nd edition. Manomet Center for Conservation Sciences, Manomet, Massachusetts.
- CAMPBELL, P. 1997. Population projections: states, 2000-2025. P. 25-1131. U.S. Census Bureau.
- CONTINENTAL SHELF ASSOCIATES, INC. 1992. Mississippi-Alabama shelf pinnacle trend habitat mapping study. OCS Study/MMS 92-0026. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, Louisiana.

References

- COOK, C. and B. GRAY. 2003. Biology and management of the White-tailed deer in Alabama. ADCNR Division of Wildlife and Freshwater Fisheries, Montgomery, Alabama.
- COOPER, J.E. 1975. Ecological and behavioral studies in Shelta Cave, Alabama, with emphasis on decapod crustaceans. Dissertation, University of Kentucky, Lexington.
- CRANCE, J. H. 1971. Description of Alabama estuarine area -- Cooperative Gulf of Mexico Inventory. Alabama Marine Resources Bulletin 6.
- CULVER, D. C. 1999. A history of management of biological resources of Shelta Cave, Alabama, U.S.A. In: Proceedings of the meeting on caves of natural origin under cities and urban areas. Hungarian Speleological Society, Budapest: 130-131.
- DUCKS UNLIMITED. 2001. Ducks Unlimited's conservation plan: Meeting the annual life cycle needs of North America's waterfowl.
- FGDC. 1997. National vegetation classification standard. FGDC-STD-005. Federal Geographic Data Committee, Vegetation Subcommittee, U.S. Geological Survey, Reston, Virginia. Web address: [http://www.fgdc.gov/standards/status/sub2_1.html] (accessed April 30, 2004).
- FITZPATRICK JR., J. F. 1990. Decapoda. Pages 77-80 in S.C. Harris, editor. Preliminary considerations on rare and endangered invertebrates in Alabama. Journal of Alabama Academy of Science. 61: 64-92.
- FITZPATRICK, J. W., M. LAMMERTINK, M. D. LUNEAU JR., T. W. GALLAGHER, B. R. HARRISON, G. M. SPARLING, K. V. ROSENBERG, R. W. ROHRBAUGH, E. C. H. SWARTHOUT, P. H. WREGE, S. B. SWARTHOUT, M. S. DANTZKER, R. A. CHARIF, T. R. BARKSDALE, J. V. REMSEN JR., S. D. SIMON, D. ZOLLNER. Ivory-Billed Woodpecker (*Campephilus principalis*) persists in continental North America. Science Magazine. Published online 28 April 2005.
- FOLKERTS, G. W. 1982. The gulf coast pitcher plant bogs. American Science. 70:260--267.
- _____. 1997. Citronelle ponds: little-known wetlands of the central gulf coastal plain, USA. Natural Areas Journal (17)1:6-16.
- FORD, B., S. CARR, C. HUNTER, J. YORK, and M. ROEDEL. 2000. Partners in flight bird conservation plan: physiographic area 14: the interior low plateaus. Draft version 1.0, July 2000.
- FROST, C. C. 1993. Four centuries of changing landscape patterns in the longleaf pine ecosystem. In: The longleaf pine ecosystem: ecology, restoration, and management.

References

- process. Tall Timbers Fire Ecology Conf., No. 18. S.M. Hermann, Editor. Tall Timbers Research Station, Tallahassee, Florida. p 17-44.
- GRAVES, R. C. and D. L. PEARSON. 1973. The tiger beetles of Arkansas, Louisiana, and Mississippi (*Coleoptera: Cicindelidae*). Transactions of the American Entomological Society 99 (2): 157-203.
- GRIFFITH, G. E., J. M. OMERNIK, J. A. COMSTOCK, G. MARTIN A. GODDARD, and V. J. HULCHER. 2001. Ecoregions of Alabama. U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory, Corvallis, Oregon.
- GUILLORY, V., H. PERRY, P. STEELE, T. WAGNER, W. KEITHLY, B. PELLEGRIN, J. PETTERSON, T. FLOYD, B. BUCKSON, L. HARTMAN, E. HOLDER, and C. MOSS. 2001. The blue crab fishery of the Gulf of Mexico, United States: A regional management plan. IJF Publication Number 96. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- GULF OF MEXICO FISHERY MANAGEMENT COUNCIL. 1979. Stone crab fishery management plan. Tampa, Florida.
- _____. 1981. Shrimp fishery management plan. Tampa, Florida.
- _____. 1982. Coral and coral reefs fishery management plan. Tampa, Florida.
- _____. 1998. Generic amendment for addressing essential fish habitat requirements in the following fishery management plans of the Gulf of Mexico: shrimp fishery of the Gulf of Mexico, United States waters, red drum fishery of the Gulf of Mexico, reef fish fishery of the Gulf of Mexico, coastal migratory pelagic resources (Mackerels) in the Gulf of Mexico and South Atlantic, stone crab fishery of the Gulf of Mexico, spiny lobster in the Gulf of Mexico and South Atlantic, coral and coral reefs of the Gulf of Mexico. Tampa, Florida.
- _____ and NATIONAL MARINE FISHERIES SERVICE. 2005. Final Amendment 24 to the reef fish fishery management plan for reef fish resources in the Gulf of Mexico, including environmental assessment, regulatory impact review, and initial regulatory flexibility analysis. Tampa, Florida.
- _____ and SOUTH ATLANTIC FISHERY MANAGEMENT COUNCIL. 1982 (as amended). Spiny lobster fishery management plan. Tampa, Florida.
- GULF STATES FISHERIES MANAGEMENT COMMISSION. 1992. Striped bass fishery management plan amendment 1. IJF Publication Number 26. Ocean Springs, Mississippi.

References

- GULF OF MEXICO FISHERY MANAGEMENT COUNCIL. Fishery management plans. [<http://www.gulfcouncil.org>].
- HARPER, R. M. 1928. Economic botany of Alabama. Monograph 9. Part 2. Alabama Geological Survey, Tuscaloosa, Alabama.
- _____. 1943. Forests of Alabama. Monograph 10. Alabama Geological Survey, Tuscaloosa, Alabama.
- HARRIS, S. C. 1990. Preliminary considerations on rare and endangered invertebrates in Alabama. *Journal of the Alabama Academy of Science* 61: 64-92.
- _____, P. E. O'Neil, and P. K. LAGO. 1991. Caddisflies of Alabama. geological survey of Alabama, Biological Resources Division, Bulletin 142:1442.
- HARTSELL, ANDREW J. and MARK J. BROWN. 2002. Forest statistics for Alabama, 2000. USDA Forest Service Resource Bulletin SRS-67. U.S. Department of Agriculture, Forest Service, Southern Research Station Asheville, North Carolina.
- HOWELL, A. H. 1921. A biological survey of Alabama. North American fauna. No. 45. Part I. Physiography and life zones of Alabama. Part II. report on the mammals of Alabama. U.S. Department of Agriculture, Division of Biological Survey. Washington: Government Printing Office.
- _____. 1924. Birds of Alabama. Montgomery, Alabama.
- HUDSON, M. K. 2004. Alabama endangered bats cave survey: recovery plan, priority, and other caves. 2003 report. Unpublished report submitted by Non-game Wildlife Program, Alabama Department of Conservation and Natural Resources to Department of the Interior, U.S. Fish and Wildlife Service.
- IMHOF, T. A. 1962. Alabama birds. State of Alabama, Department of Conservation, Game and Fish Division, University of Alabama Press.
- JENNINGS, M. 1993. Natural terrestrial cover classification; assumptions and definitions. Gap Analysis Technical Bulletin 2. U.S. Fish and Wildlife Service, Idaho Cooperative Fish and Wildlife Research Unit, University of Idaho, Moscow, Idaho.
- JOHNSON, A. F. and M. G. BARBOUR. 1990. Dunes and maritime forests. In: Myers, R. L., and J. J. Ewel, editors. *Ecosystems of Florida*, pp. 429-480. University of Central Florida Press, Orlando, Florida.
- KINGSBURY, B. A., and J. GIBSON. 2002. Habitat management guidelines for amphibians and reptiles of the Midwest. *Partners in Amphibian and Reptile Conservation (PARC)*.

References

- KUSHLAN, J. A., M. J. STEINKAMP, K. C. PARSONS, J. CAPP, M. A. CRUZ, M. COULTER, I. DAVIDSON, L. DICKSON, N. EDELSON, R. ELLIOT, R. M. ERWIN, S. HATCH, S. KRESS, R. MILKO, S. MILLER, K. MILLS, R. PAUL, R. PHILLIPS, J. E. SALIVA, B. SYDEMAN, J. TRAPP, J. WHEELER, and K. WOHL. 2002. Waterbird conservation for the Americas: the North American waterbird conservation plan, Version 1. Waterbird Conservation for the Americas. Washington, DC, U.S.A.
- LEARD, R., B. MAHMOUDI, H. BLANCHET, H. LAZAUSKI, K. SPILLER, M. BUCHANAN, C. DYER, and W. KEITHLY. 1993a. The striped mullet fishery of the Gulf of Mexico, United States: a regional management plan. IJF Publication Number 33. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- LEARD, R., R. MATHESON, K. MEADOR, W. KEITHLY, C. LUQUET, M. VAN HOOSE, C. DYER, S. GORDON, J. ROBERTSON, D. HORN, and R. SCHEFFLER. 1993b. The black drum fishery of the Gulf of Mexico, United States: a regional management plan. IJF Publication Number 28. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- LEGACY, INC. 2001. Environmental centers and organizations resource guide.
- LEOPOLD, A. 1953. Round river: from the journals of Aldo Leopold. Oxford University Press, New York.
- LÖDING, H. P. 1945. Catalogue of the beetles of Alabama. Geological Survey of Alabama, Monograph 11. University of Alabama, Tuscaloosa.
- LOUCKS, O. 1996. 100 years after Cowles: a national classification for vegetation. *Bulletin of the Ecological Society of America* 77:75-76.
- LUKENS, R. R, editor. 1989. The spanish mackerel fishery of the Gulf of Mexico, United States: a regional management plan. IJF Publication Number 19. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- LYDEARD, C. and R. L. MAYDEN. 1995. A diverse and endangered aquatic ecosystem of the southeast United States. *Conservation Biology* 9:800-805.
- MARTELL, A., H. BERLANGA, D. PASHLEY, and J. HOTH. 2002. Review of progress on the North American bird conservation initiative. Report to the North American Commission for Environmental Cooperation.
- MASTER, L. L., S. R. FLACK, and B. A. STEIN. 1998. Rivers of life: critical watersheds for protecting freshwater biodiversity. Arlington, Virginia: The Nature Conservancy.

References

- MAYDEN, R. L., and B. R. KUHAJDA. 1989. Systematics of *Notropis cahabae*, a New Cyprinid fish endemic to the Cahaba River of the Mobile Basin. Bulletin of Alabama Museum of Natural History No. 9.
- MCGREGOR, S. W., P.E. O'NEIL, and J. M. PIERSON. 2000. Status of the freshwater mussel (*Bivalvia: Unionidae*) fauna in the Cahaba River system, Alabama. Walkerana 11: 215-238.
- METTEE, M. F., P. E. O'NEIL, and J. M. PIERSON. 1996. Fishes of Alabama and the Mobile Basin. Oxmoor House, Inc. Birmingham, Alabama.
- MIRARCHI, R. E., editor. 2004. Alabama Wildlife. Volume 1. A checklist of vertebrates and selected invertebrates: aquatic mollusks, fishes, amphibians, reptiles, birds, and mammals. The University of Alabama Press, Tuscaloosa.
- MIRARCHI, R. E., J. T. GARNER, T. M. HAGGERTY, M. F. METTEE, and P. E. O'NEIL, editors. 2004a. Alabama Wildlife. Volume 2. Imperiled aquatic mollusks and fishes. The University of Alabama Press, Tuscaloosa.
- _____, M. A. BAILEY, T. M. HAGGERTY, and T. L. BEST, editors. 2004b. Alabama Wildlife. Volume 3. Imperiled amphibians, reptiles, birds, and mammals. The University of Alabama Press, Tuscaloosa.
- _____, M. A. BAILEY, J. T. GARNER, T. M. HAGGERTY, T. L. BEST, M. F. METTEE, and P. E. O'NEIL, editors. 2004c. Alabama Wildlife. Volume 4. Conservation and management recommendations for imperiled wildlife. The University of Alabama Press, Tuscaloosa.
- MITSCH, W. J., AND J. G. GOSSELINK. 1993. Wetlands. John Wiley and Sons, Inc., New York.
- MOHR, C. 1901. Plant Life of Alabama: An account of the distribution, modes of association, and adaptations of the flora of Alabama, together with a systematic catalogue of the plants growing in the state. U.S. Government Printing Office, Washington, D.C.
- MOLER, P. E., and R. FRANZ. 1988. Wildlife values of small, isolated wetlands in the southeastern coastal plain. Pages 234–241 In: R. R. Odom, K. A. Riddleberger, and J. C. Ozier, editors. Proceedings of the 3rd Southeastern Nongame and Endangered Wildlife Symposium, Georgia Department of Natural Resources, Game and Fish Division.
- MORSE, J. C., B. P. STARK, W. P. MCCAFFERTY, and K. J. TENNESSEN. 1997. Southern Appalachian and other southeastern streams at risk: implications for mayflies, dragonflies and damselflies, stoneflies, and caddisflies. In: Aquatic fauna in peril: the southeastern perspective. G. W. Benz and D. E. Collins editors. Special

References

- Publication 1, Southeast Aquatic Research Institute, Lenz Design and Communications, Decatur, Georgia, p. 17-42.
- MOUNT, R. H. 1975. The reptiles and amphibians of Alabama. Auburn University Agriculture Expansion Station., Auburn, Alabama.
- NATIONAL MARINE FISHERIES SERVICE. 1999. Amendment 1 to the Atlantic billfish fishery management plan. U.S. Department of Commerce, NOAA, National Marine Fisheries Service, Highly Migratory Species Management Division. Silver Spring, Maryland.
- _____. 2001. Our living oceans: the status of habitat for U.S. living marine resources. National Oceanic and Atmospheric Administration (NOAA). 1998 (on-line). "Managing Coastal Resources" by William C. Millhouser, John McDonough, John Paul Tolson and David Slade. NOAA's State of the Coast Report. Silver Spring, Maryland: NOAA.
- _____. 2003. Final amendment 1 to the fishery management plan for Atlantic tunas, swordfish and sharks. U.S. Department of Commerce, NOAA, National Marine Fisheries Service, Highly Migratory Species Management Division. Silver Spring, Maryland.
- NATURESERVE. 2004a. Summary report on vegetation classification development for USDA Forest Service, Region 8 NatureServe, Arlington, Virginia and NatureServe-South Community Ecology Group, Durham, North Carolina.
- _____. 2004b. NatureServe Explorer: An online encyclopedia of life [web application]. Version 3.1. NatureServe, Arlington, Virginia.
- _____. 2004c. International ecological classification standard: terrestrial ecological systems of the United States. Natural Heritage Central Databases. NatureServe, Arlington, Virginia.
- NECKLES, H. A., editor. 1993. Seagrass monitoring and research in the Gulf of Mexico: draft report of a workshop held at Mote Marine Laboratory in Sarasota, Florida, January 28-29, 1992. National Biological Survey, National Wetlands Research Center, Lafayette, Louisiana.
- NEVES, R. J., A. E. BOGAN, J. D. WILLIAMS, S. A. AHLSTEDT, and P. W. HARTFIELD. 1997. Status of aquatic mollusks in the southeastern United States: a downward spiral of diversity. In: Aquatic fauna in peril: the southeastern perspective. Benz, G. W., and D. E. Collins, editors. Special Publication 1, Southeast Aquatic Research Institute, Lenz Design and Communications, Decatur, Georgia.

References

- NICHOLSON, L. editor. 1986. Striped bass fishery management plan (Gulf of Mexico). IJF Publication Number 16. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- NORTH AMERICAN WATERFOWL MANAGEMENT PLAN COMMITTEE. 1999. North American waterfowl management plan update 1998: expanding the vision. U.S. Department of the Interior, SEMARNAP Mexico, Canadian Wildlife Service.
- NOSS, R. F. and R. L. PETERS, 1995. Endangered ecosystems: a status report on America's vanishing habitat and wildlife. Defenders of Wildlife, Washington D.C.
- NOWAK, R. M. 1991. Walker's mammals of the world. Fifth edition. The Johns Hopkins University Press, Baltimore, Maryland.
- OMERNIK, J. M. 1987. Ecoregions of the conterminous United States. Map (scale 1:7,500,000). *Annals of the Association of American Geographers* 77(1):118-125.
- PHILLIPS, D. J. 2002. Discovering Alabama wetlands. University of Alabama Press, Tuscaloosa.
- PIERSON, J. M., W. M. HOWELL, R. A. STILES, M. F. METTEE, P. E. O'NEAL, R. D. SUTTKUS, and J. S. RAMSEY. 1989. Fishes of the Cahaba River system in Alabama. Geological Survey of Alabama.
- PRINGLE, C. M., M. C. FREEMAN, and B. J. FREEMAN. 2000. Landscape-scale effects of hydrological alterations on riverine macrobiota in the new world: tropical--temperate comparisons. *BioScience*.
- REID, W. and K. MILLER. 1989. Keeping options alive: the scientific basis for conserving biodiversity. World Resources Institute.
- RICH, T. D., C. J. BEARDMORE, H. BERLANGA, P. J. BLANCHER, M. S. BRADSTREET, G. S. BUTCHER, D. W. DEMAREST, E. H. DUNN, W. C. HUNTER, E. E. IÑIGO-ELIAS, J. A. KENNEDY, A. M. MARTELL, A. O. PANJABI, D. N. PASHLEY, K. V. ROSENBERG, C. M. RUSTAY, J. S. WENDT, T. C. WILL. 2004. Partners in flight North American landbird conservation plan. Cornell Lab of Ornithology, Ithaca, New York.
- ROACH, E. R., M. C. WATZIN, and J. D. SCURRY. 1987. Wetland changes in coastal Alabama. Pages 92-101 In: T. A. Lowery, editor. Symposium on the natural resources of the Mobile Bay Estuary. Alabama Sea Grant Extension Service, Mobile, Alabama. MASGP-87-007.
- SCHUSTER, G. A. and C. A. TAYLOR. 2004. Report on the crayfishes of Alabama: literature and museum database review, species list with abbreviated annotations and proposed conservation statuses. Unpublished report to Alabama Department of Conservation and Natural Resources, Division of Wildlife and Freshwater Fisheries. Illinois Natural History Survey, Center for Biodiversity Technical Report 2004(12).

References

- SERB, J. M., J. E. BUHAY, and C. LYDEARD. 2003. Molecular systematics of the North American freshwater bivalve genus *Quadrula* (Unionidae: Ambleminae) based on mitochondrial ND1 sequences. *Molecular phylogenetics and evolution* 28:1-11.
- SHEPARD, T. E., P. E. O'NEIL, S. W. MCGREGOR, and S. C. HARRIS. 1994. Water-quality and biomonitoring studies in the upper Cahaba River drainage of Alabama. *Geological Survey of Alabama Bulletin* 160:1-118.
- SIEVERING, M. E. 2004. Alabama furbearer status and harvest report: 2002-2003. Unpublished report to Alabama Department of Conservation and Natural Resources, Division of Wildlife and Freshwater Fisheries, Wildlife Section. Montgomery, Alabama.
- SMITH, R. K., P. L. FREEMAN, J. V. HIGGINS, K. S. WHEATON, T. W. FITZHUGH, K. J. ERNSTROM, A. A. DAS. 2002. Freshwater biodiversity conservation assessment of the southeastern United States. The Nature Conservancy.
- STEIN, B. A. 2002. States of the union: ranking America's biodiversity. Arlington, Virginia: NatureServe.
- TAYLOR, C. A., M. L. WARREN, JR., J. F. FITZPATRICK, JR., H. H. HOBBS, JR., R. F. JEZERINAC, W. L. PLIEGER, and H. W. ROBISON. 1996. Conservation status of crayfishes of the United States and Canada. *Fisheries* 21(4):25-38.
- TURGEON, D. D., A. E. BOGAN, E. V. COAN, W. K. EMERSON, W. G. LYONS, W. L. PRATT, C. F. E. ROPER, A. SCHELTEMA, F. G. THOMPSON, and J. D. WILLIAMS. 1988. Common and scientific names of aquatic invertebrates from the United States and Canada: mollusks. *American Fisheries Society, Special Publication* 16:viii + 277 pp., 12 pls.
- UNITED STATES ENVIRONMENTAL PROTECTION AGENCY. 1995. America's wetlands: our vital link between land and water. EPA843-K-95-001.
- UNITED STATES FISH AND WILDLIFE SERVICE. 1982a. Gray bat recovery plan. U.S. Fish Wildlife Service.
- _____. 1982b. Eastern indigo snake recovery plan. U.S. Fish and Wildlife Service. Atlanta, Georgia.
- _____. 1983. Red Hills salamander recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1985. Management guidelines for the western Snowy Plover. U.S. Fish and Wildlife Service, Portland, Oregon.

References

- _____. 1987a. Florida Panther (*Felis concolor coryi*) recovery plan. Prepared by the Florida Panther Interagency Committee for the U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1987b. Recovery plan for the Alabama beach mouse (*Peromyscus polionotus ammobates*), Perdido Key beach mouse (*P. p. trissyllepsis*), and Choctawhatchee beach mouse (*P. p. allophrys*). U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1987c. Reclassification of the American alligator to threatened due to similarity of appearance throughout the remainder of its range. Federal Register 52:21059-21064.
- _____. 1988a. Great Lakes and Northern Great Plains piping plover recovery plan. U.S. Fish and Wildlife Service, Twin Cities, Minnesota.
- _____. 1988b. Alabama red-bellied turtle recovery plan. Technical review draft. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1989a. Endangered and threatened wildlife and plants; animal notice of review. Federal Register, Department of the Interior. 54(4):554-579.
- _____. 1989b. Recovery plan for five Tombigbee River mussels. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1989c. Alabama red-bellied turtle recovery plan. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- _____. 1989d. Little-wing pearlymussel recovery plan. USFWS. Atlanta, Georgia. .
- _____. 1990a. Red wolf recovery plan. U.S. Department of the Interior, U.S. Fish and Wildlife Service.
- _____. 1990b. Endangered and threatened species recovery program: report to Congress.
- _____. 1990c. Flattened musk turtle (*Sternotherus depressus*) recovery plan. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- _____. 1990d. Gopher tortoise recovery plan. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- _____. 1990e. Cracking pearlymussel (*Hemistena lastena lata*) recovery plan. Atlanta, Georgia.
- _____. 1991a. Mississippi Sandhill Crane *Grus canadensis pulla* recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.

References

- _____. 1991b. American burying beetle (*Nicrophorus americanus*) recovery plan. New England Field Office, U.S. Fish and Wildlife Service.
- _____. 1991c. Pygmy sculpin (*Cottus pygmaeus*) recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1991d. Ring pink mussel recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1992a. Inflated heelsplitter (*Potamilus inflatus*) recovery plan. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- _____. 1992b. Endangered and threatened wildlife and plants; threatened status for two fish, the goldline darter (*Percina aurolineata*) and blue shiner (*Cyprinella caerulea*). Federal Register. 57(78) 14786-14790.
- _____. 1992c. Cahaba shiner (*Notropis cahabae*) recovery plan. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- _____. 1992c. Watercress darter recovery plan (second revision). U.S. Fish and Wildlife Service. Atlanta, Georgia.
- _____. 1993. Inflated heelsplitter (*Potamilus inflatus*) recovery plan. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1994. Clubshell (*Pleurobema clava*) and northern riffleshell (*Epioblasma torulosa rangiana*) recovery plan. Hadley, Massachusetts.
- _____. 1995a. Blue shiner (*Cyprinella caerulea*) recovery plan. U.S. Fish and Wildlife Service, Jackson, Mississippi.
- _____. 1995b. Determination of endangered status for the Hine's emerald dragonfly (*Somatochlora hineana*). Final Rule. Federal Register 60(17):5267-5272.
- _____. 1995c. Recovery plan for the Florida panther (*Felis concolor coryi*), Second Revision.
- _____. 1995d. Florida manatee recovery plan. Second revision. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1996a. Florida manatee recovery plan. Third revision. U.S. Fish and Wildlife Service, Atlanta, Georgia.
- _____. 1996b. Revised recovery plan for the U.S. breeding population of the wood stork.

References

- _____. 1996c. Piping Plover (*Charadrius melodus*), Atlantic coast population, revised recovery plan. Hadley, Massachusetts.
- _____. 1997a. Recovery plan for Anthony's riversnail. Atlanta, Georgia. 21pp.
- _____. 1997b. Recovery plan for palezone shiner (*Notropis albizonatus*). Atlanta, Georgia.
- _____. 1998. Recovery plan for Mitchell's satyr butterfly (*Neonympha mitchellii mitchellii*). U.S. Fish and Wildlife Service, Fort Snelling, Minnesota.
- _____. 1999a. Proposed rule to remove the bald eagle in the lower 48 states from the list of endangered and threatened wildlife. Federal Register 64:36453-36464.
- _____. 1999b. Agency draft Indiana bat (*Myotis sodalis*) revised recovery plan. U.S. Fish and Wildlife Service, Fort Snelling, Minnesota.
- _____. 1999c. Final rule to list the flatwoods salamander as a threatened species. Federal Register 64(62):15691-15704.
- _____. 2000a. Mobile River Basin aquatic ecosystem recovery plan. U.S. Fish and Wildlife Service Southeast Region, Atlanta, Georgia.
- _____. 2000b. Final rule to list the Alabama sturgeon as endangered. Federal Register 65(88):26438-26461.
- _____. 2001a. Final rule to list the Mississippi gopher frog distinct population segment of dusky gopher frog as endangered. Federal Register 66(233)62993-63002.
- _____. 2001b. Final rule to list the vermilion darter as endangered. Federal Register 66(229):59367-59373.
- _____. 2003a. Recovery plan for the red-cockaded woodpecker (*Picoides borealis*), second revision. U.S. Fish and Wildlife Service, Southeast Region, Atlanta, Georgia.
- _____. 2003b. Recovery plan for endangered fat threeridge (*Amblema neislerii*), shinyrayed pocketbook (*Lampsilis subangulata*), gulf moccasinshell (*Medionidus penicillatus*), Ochlockonee moccasinshell (*Medionidus simpsonianus*), and Oval Pigtoe (*Pleurobema pyriforme*); and Threatened Chipola slabshell (*Elliptio chipolaensis*), and purple bankclimber (*Elliptoideus sloatianus*). Atlanta, Georgia. 142 pp.
- _____. 2004a. Technical/agency draft recovery plan for six Mobile River basin aquatic snails. U.S. Fish and Wildlife Service, Jackson, Mississippi. 48 pp.

References

- _____. 2004b. Recovery Plan for Cumberland elktoe, oyster mussel, cumberlandian combshell, purple bean, and rough rabbitsfoot. Atlanta, Georgia.
- UNITED STATES FISH AND WILDLIFE SERVICE and GULF STATES MARINE FISHERIES COMMISSION. 1995. Gulf sturgeon recovery plan. Atlanta, Georgia.
- _____ and U.S. CENSUS BUREAU. 2003. 2001 National survey of fishing, hunting, and wildlife-associated recreation.
- UNITED STATES FOREST SERVICE, 2000. 2000 RPA Assessment of forest and range lands. FS-687.
- _____. 2004. Revised land and resource management plan, national forests in Alabama. Management Bulletin R8-MB 112A. USDA Forest Service, Atlanta, Georgia.
- VANDERKOOY, S. J., editor. 2000. The flounder fishery of the Gulf of Mexico, United States: a regional management plan. IJF Publication Number 83. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- _____ editor. 2001. The spotted seatrout fishery of the Gulf of Mexico, United States: a regional management plan. IJF Publication Number 87. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- _____ and J. W. SMITH, editors. 2002. The menhaden fishery of the Gulf of Mexico, United States: a regional management plan, 2002 Revision. IJF Publication Number 99. Gulf States Marine Fisheries Commission, Ocean Springs, Mississippi.
- VAN DER SCHALIE, H. 1938. The naiades (fresh-water mussels) of the Cahaba River in northern Alabama. Occasional Papers of the Museum of Zoology - University of Michigan 392:1-29.
- WARREN, M. L., JR., B. M. BURR, S. J. WALSH, H. L. BART, JR., R. C. CASHNER, D. A. ETNIER, B. J. FREEMAN, B. R. KUHAJDA, R. L. MAYDEN, H. W. ROBISON, S. T. ROSS, and W. C. STARNES. 2000. Diversity, distribution, and conservation status of the native freshwater fishes of the southern United States. Fisheries 25(10): 7-31.
- WHITE, W. B., D. C. CULVER, J. S. HERMAN, T. C. KANE, and J. E. MYLROIE. 1995. Karst lands. American Scientist, v. 83, p. 450-459.
- WILLIAMS, J. D., S. L. H. FULLER, AND R. GRACE. 1992. Effects of impoundments on freshwater mussels (Mollusca: Bivalvia: Unionidae) in the main channel of the Black Warrior and Tombigbee rivers in western Alabama: Bulletin of the Alabama Museum of Natural History, no. 13, p. 1-10.

References

WILLIAMS, J. D., M. L. WARREN, JR., K. S. CUMMINGS, J. L. HARRIS, and R. J. NEVES. 1993. Conservation status of freshwater mussels of the United States and Canada. *fisheries* 18(9):6-22.

YARROW, G. K. and D. T. YARROW. 1999. *Managing wildlife on private lands in Alabama and the southeast*. Alabama Wildlife Federation, Sweetwater Press.